


Fossil

Porcelain - limestone and terrazzo inspired

Fossil combines softly fossil-marked limestone surfaces with a contrasting terrazzo expression, creating a layered stone palette with both quiet and graphic character. Seven coordinated tones run across core formats, with grip, slab, outdoor and mosaic options extending the collection for broader architectural use.



COLOURS



AVAILABLE FORMAT

300 x 600 mm • 600 x 600 mm • 600 x 1200 mm • 1200 x 1200 mm • 1200 x 2780 mm

Grip: 300 x 600 mm and 600 x 1200 mm. 20 mm Outdoor: 600 x 1200 mm in Fawn, Marl, Relic and Nimbus. Mosaic: 300 x 300 mm.

Application: Interior wall and floor use; Grip and 20 mm Outdoor formats for external floor use.

Fossil

Core finish technical specification

SPECIFICATION TABLE

Size	Finish	Thickness	Colour availability	Rectified	PTV BS EN 16165 Annex C	R Classification DIN EN 16165 Annex B	Barefoot DIN EN 16165 Annex A
300 x 600 mm	Matt	8.5 mm	All seven colours	Yes	≥36 Dry / ≥36 Wet	R10	A+B
300 x 600 mm	Grip	8.5 mm	All seven colours	Yes	≥36 Dry / ≥36 Wet	R11	A+B+C
600 x 600 mm	Matt	8.5 mm	All seven colours	Yes	≥36 Dry / ≥36 Wet	R10	A+B
600 x 1200 mm	Matt	8.5 mm	All seven colours	Yes	≥36 Dry / ≥36 Wet	R10	A+B
600 x 1200 mm	Grip	8.5 mm	All seven colours	Yes	≥36 Dry / ≥36 Wet	R11	A+B+C
1200 x 1200 mm	Matt	9 mm	All seven colours	Yes	≥36 Dry / ≥36 Wet	R10	A+B

The published technical evidence provides separate slip results for Matt and Grip finishes. PTV, R classification and barefoot classification are separate test outputs.

SPECIFICATION NOTES

- Slip resistance varies by finish. Refer to the PTV, R and barefoot ratings shown for the specific finish being specified.
- The seven-colour collection is classified V3 for shade variation. Core field formats are rectified.
- For advice on selecting the most appropriate finish for your project, please contact Appleton Brooks.

Fossil

Specialist formats and specification

SPECIALIST FORMATS

Size	Finish / format	Thickness	Colour availability	Rectified	Slip classification
600 x 1200 mm	20 mm Outdoor	20 mm	Fawn / Marl / Relic / Nimbus	Yes	PTV $\geq$ 36 Dry/Wet; R11 / A+B+C
1200 x 2780 mm	Matt slab	6 mm	Fawn / Shale / Marl / Relic / Nimbus	Yes	R9
300 x 300 mm	Mosaic Matt	9 mm	All seven colours	No	-

The 1200 x 2780 mm Matt slab carries an R9 classification but no published PTV or barefoot result. Mosaic ratings are not published separately; no value is inferred.

SPECIFICATION NOTES

- 20 mm Outdoor is limited to Fawn, Marl, Relic and Nimbus.
- The 1200 x 2780 mm slab is limited to Fawn, Shale, Marl, Relic and Nimbus.
- The mosaic is non-rectified. A dash means no separate slip classification is published for that format.
- For project-specific finish or slip-selection advice, please contact Appleton Brooks.