

Harriet

Porcelain - mineral-veined stone inspired


Harriet interprets expressive natural-stone veining through a calm four-colour porcelain palette. Fine mineral fractures and warmer metallic traces move across each surface, giving walls and floors a layered architectural character, while the geometric Charm decor introduces a more graphic option for feature areas.



COLOURS



Antique



Lightwash



Willowstone



Earthen

AVAILABLE FORMAT

600 x 600 mm / 600 x 1200 mm / 370 x 220 mm Charm Decor

Natural finish only. Charm Decor is available in all four colours and is shown on page 2.

Application: Interior wall and floor use.

Harriet

Charm - geometric decor

Charm is the single decorative format within the promoted Harriet collection. Its geometric inset composition brings a more structured rhythm to the same four-colour palette, allowing feature areas to coordinate directly with the field tiles while retaining the collection's mineral-veined character.



Antique Charm
370 x 220 mm



Lightwash Charm
370 x 220 mm



Willowstone Charm
370 x 220 mm



Earthen Charm
370 x 220 mm

DECOR SPECIFICATION

Format	Thickness	Finish	Application	Rectified
370 x 220 mm	8.8 mm	Natural	Interior wall and floor	Yes

Charm is available in Antique, Lightwash, Willowstone and Earthen. Only the Natural finish and the Charm decorative format are included in the current Appleton Brooks Harriet range.

Harriet

Natural finish technical specification

SPECIFICATION TABLE

Size	Finish	Thickness	Colour availability	Rectified	PTV Not published	R Classification DIN 51130	Barefoot DIN 51097
600 x 600 mm	Natural	8.8 mm	All four colours	Yes	-	R10	B
600 x 1200 mm	Natural	8.8 mm	All four colours	Yes	-	R10	B
370 x 220 mm Charm	Natural	8.8 mm	All four colours	Yes	-	R10	B

R10 to DIN 51130 and Class B to DIN 51097 are published for the Natural surface. A UK PTV value is not published.

SPECIFICATION NOTES

- The promoted 600 x 600 mm, 600 x 1200 mm and Charm formats are 8.8 mm thick and rectified.
- The collection is classified V3 for shade variation; expect noticeable movement in tone and veining between pieces.
- A dash indicates that the published technical evidence does not provide that specific test output.
- For advice on selecting and setting out this collection for your project, please contact Appleton Brooks.

ENVIRONMENTAL CREDENTIALS

Environmental Product Declaration

EPD

A current sector Environmental Product Declaration is listed within the product certification programme.

Recycled content documentation

DT 55

Certification of recycled-content percentage is listed; no percentage is stated on this datasheet.

Environmental management

ISO 14001

Production operates within an ISO 14001:2015-certified environmental management system.

Supporting documentation is available on request where appropriate.