

Stonehaven

Porcelain - layered stone inspired


Stonehaven captures the depth and natural movement of layered stone, combining sweeping mineral shifts with a softly tactile surface. Four expressive tones move from pale mineral shades to richer earth and blue-grey, with coordinated decorative formats for more detailed interior schemes.




COLOURS



Clay



Slate



Silk



Pampas

AVAILABLE FORMAT

300 x 600 mm / 600 x 600 mm / 600 x 1200 mm

600 x 1200 mm is also available Polished. Coordinated Mosaic, Slat and Stick formats are shown on page 3.

Application: Interior wall and floor use.

Stonehaven

Finish-specific technical specification

SPECIFICATION TABLE

Size	Finish	Thickness	Colour availability	Rectified	PTV Not published	R Classification DIN 51130	Barefoot DIN 51097
300 x 600 mm	Matt / Natural	8.8 mm	Clay / Slate / Silk / Pampas	Yes	-	R10	B
600 x 600 mm	Matt / Natural	8.8 mm	Clay / Slate / Silk / Pampas	Yes	-	R10	B
600 x 1200 mm	Matt / Natural	8.8 mm	Clay / Slate / Silk / Pampas	Yes	-	R10	B
600 x 1200 mm	Polished	8.8 mm	Clay / Slate / Silk / Pampas	Yes	-	-	-

R10 to DIN 51130 and Class B to DIN 51097 are published for the 8.8 mm Natural surface. A UK PTV value is not published. No slip classification is inferred for the Polished surface.

SPECIFICATION NOTES

- Stonehaven is classified V4 for shade variation; natural variation between pieces is an intentional part of the design.
- Mosaic, Slat and Stick formats use the coordinated Natural surface and are presented separately on page 3 for clarity.
- For wet-area or other slip-critical applications, confirm the project-specific requirement before specification.

ENVIRONMENTAL CREDENTIALS

Environmental Product Declaration

EPD

A sector Environmental Product Declaration is listed within the current product certifications.

Recycled content documentation

DT 55

Certification of recycled-content percentage is listed; no percentage is stated on this datasheet.

Environmental management

ISO 14001

Production operates within an ISO 14001:2015-certified environmental management system.


Supporting documentation is available on request where appropriate.

Stonehaven


Coordinated decorative formats

Three rectified decorative structures extend the four Stonehaven colours, allowing the same layered stone character to move from field tiles into more detailed wall and feature applications.


MOSAIC - 300 X 300 MM



SLAT - 300 X 600 MM



STICK - 300 X 600 MM



DECOR SPECIFICATION

Format	Size	Thickness	Finish	Rectified
Mosaic	300 x 300 mm	8.8 mm	Matt / Natural	Yes
Slat	300 x 600 mm	8.8 mm	Matt / Natural	Yes
Stick	300 x 600 mm	8.8 mm	Matt / Natural	Yes