

Studio

Porcelain - layered concrete and resin effect

Studio is a versatile concrete- and resin-effect porcelain collection with a broad palette moving from soft mineral neutrals to richer terracotta, green and blue tones. A mix of Matt, Grip and 20 mm Outdoor surfaces extends the collection across residential, commercial and exterior schemes.



PALETTE

12 colours

Soft mineral neutrals with terracotta, green and blue tones.

FORMATS

5 sizes

From 300 x 600 mm to 1200 x 1200 mm.

SURFACES

Matt + Grip

Selected 20 mm Outdoor options extend the range.

PERFORMANCE

R10 / R11

PTV 36+ is published for the current promoted surfaces.

AVAILABLE FORMAT

300 x 600 mm • 600 x 600 mm • 800 x 800 mm • 600 x 1200 mm • 1200 x 1200 mm

Selected colours are also available in 600 x 600 mm Grip and 800 x 800 mm 20 mm Outdoor formats. Colour availability varies by format - see page 3 for the full matrix.





Application: Floors and walls, with selected Grip and 20 mm Outdoor surfaces for higher-demand and exterior applications.

Studio

Complete colour palette

The twelve-colour palette moves from soft mineral neutrals to richer terracotta, green and blue tones. Colour availability varies by format; the current colour-by-format matrix is shown on page 3.

COLOURS

 Crest Sage green	 Ember Terracotta	 Fade Warm beige	 Husk Soft taupe
 Iron Charcoal	 Loom Soft grey	 Marine Dusty blue	 Plaster Soft ivory
 Shimmer Pale grey	 Thread Warm cream	 Trace Greige	 Tuft Sand

Studio

Colour, format and technical specification

CURRENT COLOUR-BY-FORMAT MATRIX

Colour	300 x 600 Matt	600 x 600 Matt	600 x 600 Grip	600 x 1200 Matt	800 x 800 Matt	800 x 800 20 mm Outdoor	1200 x 1200 Matt
Crest	●	●					
Ember	●	●					
Fade	●	●	●	●	●	●	●
Husk	●	●	●	●	●	●	
Iron	●	●	●	●	●	●	
Loom	●	●	●	●	●	●	●
Marine	●	●					
Plaster	●	●	●	●	●		
Shimmer	●	●	●	●	●	●	●
Thread	●	●	●	●	●	●	●
Trace	●	●	●	●	●		
Tuft	●	●	●	●	●	●	●

A filled dot indicates a current Appleton Brooks colour / format combination. Marine, Crest and Ember 800 x 800 mm Matt variants, together with former 1200 x 1200 mm 20 mm Outdoor variants, are discontinued and are not shown as available.

TECHNICAL SPECIFICATION

Size	Finish	Thickness	Slip rating	Rectified	V-Shade
300 x 600 / 600 x 600 mm	Matt	8.5 mm	R10 / PTV 36+	Yes	V3
600 x 1200 mm	Matt	8.5 mm	R10 / PTV 36+	Yes	V3
800 x 800 mm	Matt	9 mm	R10 / PTV 36+	Yes	V3
1200 x 1200 mm	Matt	9 mm	R10 / PTV 36+	Yes	V3
600 x 600 mm	Grip	8.5 mm	R11 / PTV 36+	Yes	V3
800 x 800 mm	20 mm Outdoor	20 mm	R11 / PTV 36+	Yes	V3

Current verified Appleton Brooks technical data supports the availability and technical fields shown above. R and PTV are separate results; assess suitability against project-specific requirements.

ENVIRONMENTAL CREDENTIALS

Environmental Product Declaration

EPD listed

EPD is listed among the environmental credentials for the production range.

Indoor air quality

GREENGUARD

GREENGUARD certification is listed for the production range.

Material transparency

DECLARE

DECLARE is listed among the current environmental credentials for the production range.