

Vera Design

Glazed ceramic - watercolour inspired

Vera Design brings a softly variegated, watercolour-like glaze to compact wall formats. Twelve colours move from clear neutrals through mineral blues and greens to warmer rose, amber and berry tones, giving designers a flexible palette for tonal schemes, colour blocking and more expressive interior details.



PALETTE

12 colours

Neutrals, blues, greens and warmer accent tones.

FORMATS

4 shapes

Compact brick, square, slim format and hexagon.

SURFACE

Gloss

Natural, non-rectified edges with V3 variation.

APPLICATION

Interior walls

The current Appleton Brooks range is the 12 plain colours.

AVAILABLE FORMAT

65 x 200 mm • 100 x 100 mm • 51 x 161 mm • 124 x 107 mm hexagon

All promoted formats are 9 mm with a glossy surface and natural, non-rectified edges. Decorative designs outside the current Appleton Brooks plain-colour range are not included.









Application: Interior wall use.

Vera Design

Complete colour palette

Twelve softly variegated colours support tonal schemes, colour blocking and expressive interior details. All four promoted plain formats are available across the current palette.

COLOURS

 Snow	 Noir	 Denim	 Peacock
 Dolphin	 Pistachio	 Moss	 Rose
 Amber	 Wheat	 Berry	 Sky

Vera Design

Wall-tile technical specification

SPECIFICATION TABLE

Size	Finish	Thickness	Colour availability	Rectified	V-Shade
65 x 200 mm	Gloss	9 mm	All 12 colours	No	V3
100 x 100 mm	Gloss	9 mm	All 12 colours	No	V3
51 x 161 mm	Gloss	9 mm	All 12 colours	No	V3
124 x 107 mm hexagon	Gloss	9 mm	All 12 colours	No	V3

The promoted Vera Design range is a 9 mm glossy, non-rectified wall-tile collection with V3 shade variation. No floor slip-performance claim is published.

SPECIFICATION NOTES

- The current Appleton Brooks range contains 12 colours across four plain formats.
- V3 indicates deliberate tonal and surface variation; review representative samples before final specification and mix tiles during installation.
- The current Appleton Brooks range is positioned for interior wall use.
- For advice on installation, grout selection or project suitability, please contact Appleton Brooks.

ENVIRONMENTAL CREDENTIALS

Environmental management

ISO 14001

Production operates within an ISO 14001:2015-certified environmental management system.

Ceramic tile sustainability

ISO 17889-1

Current certification information lists ISO 17889-1:2021 for sustainability of ceramic tiles.

Supporting documentation is available on request where appropriate.